

*L'Explorateur*, volume 27, numéro 3, octobre 2017

**DOSSIER : Rince-bouches à usage thérapeutique de commerce.**  
**Exposé de position de l'Association canadienne des hygiénistes dentaire.**

**Références bibliographiques :**

1. Borgnakke WS. Does treatment of periodontal disease influence systemic disease? *Dent Clin North Am.* 2015;59(4):885–917.
2. Teles RP, Teles FRF. Antimicrobial agents used in the control of periodontal biofilms: Effective adjuncts to mechanical plaque control? *Braz Oral Res.* 2009;23 (Special Issue 1):39–48.
3. Wilder RS, Bray KS. Improving periodontal outcomes: Merging clinical and behavioral science. *Periodontol 2000.* 2016;71:65–81
4. Donn J. Medical benefits of dental floss unproven [Internet]. Associated Press; 2016.  
Available from: [bigstory.ap.org/article/.../medical-benefits-dental-floss-unproven](http://bigstory.ap.org/article/.../medical-benefits-dental-floss-unproven).
5. Rode SM, Gimenez X, Montoya VC, Gómez M, Blanc SL, Medina M, et al. Daily biofilm control and oral health: Consensus on the epidemiological challenge – Latin American Advisory Panel. *Braz Oral Res.* 2012;26 (Special Issue 1):133–42.
6. Asadoorian J. CDHA position paper on commercially available over-the-counter oral rinsing products. *Can J Dent Hyg.* 2006;40(4):1–13.
7. Lorenz K, Bruhn G, Netuschil L, Heumann C, Hoffman T. How to select study designs and parameters to investigate the effect of mouthrinses? Part I: Rationale and background. *J Physio Pharm.* 2009;60(Supplement 8):77–83.
8. Bolerazska B, Marekova M, Markovska N. Trends in laboratory diagnostic methods in periodontology. *Acta Medica (Hradec Králové).* 2016;59(1):3–9.
9. Rohrig B, du Prel JB, Wachtlin D, Kwiecien R, Blettne, M. Sample size calculation in clinical trials: Part 13 of a series on evaluation of scientific publications. *Dtsch Arztebl Int.* 2010;107(31–32):552–56.
10. Araujo MWB, Charles CA, Weinstein RB, McGuire JA, Parikh-Das AM, Du Q, et al. Meta-analysis of the effect of an essential oil-containing mouthrinse on gingivitis and plaque. *J Am Dent Assoc.* 2015;146(8):610–33.
11. Van Leeuwen MP, Slot DE, Van der Weijden GA. Essential oils compared to chlorhexidine with respect to plaque and parameters of gingival inflammation: a systematic review. *J Periodontol.* 2011;82(2):174–94.
12. Van Strydonck DA, Slot DE, Van der Velden U, Van der Weijden F. Effect of a chlorhexidine mouthrinse on plaque, gingival inflammation and staining in gingivitis patients: a systematic review. *J Clin Periodontol.* 2012;39(11):1042–54.
13. Haps S, Slot DE, Berchier CE, Van der Weijden GA. The effect of cetylpyridinium chloride-containing mouth rinses as adjuncts to toothbrushing on plaque and parameters of gingival inflammation: a systematic review. *Int J Dent Hyg.* 2008;6:290–303.
14. The Cochrane Collaboration [website]. 2016. Available from: <http://canada.cochrane.org/>.
15. Barnes V, Arvanitidou E, Szewczyk G, Richter R, DeVizio W, Cronin M, Michelle S. Evaluation of the antiplaque efficacy of two cetylpyridinium chloride-containing mouthwashes. *J Clin Dent.* 2011;22(6):200–203.
16. Sreenivasan PK, Haraszthy VI, Zambon JJ. Antimicrobial efficacy of 0.05% cetylpyridinium chloride mouthrinses. *Lett Appl Microbiol.* 2013;56(1):14–20.
17. Rao D, Arvanitidou E, Du-Thumm L, Rickard AH. Efficacy of an alcohol-free CPC-containing mouthwash against oral multispecies biofilms. *J Clin Dent.* 2011;22(6):187–94.
18. Latimer J, Munday JL, Buzz KM, Sreenivasan PK, McBain AJ. Antibacterial efficacy of a cetylpyridinium chloride-based mouthrinse against Fusobacterium nucleatum and in vitro plaques. *Am J Dent.* 2015;September(28 Spec No A):9A-13A.
19. Schaeffer LM, Szewczyk G, Nesta J, Vandeven M, Du-Thumm L, Williams MI, Arvanitidou E. In vitro antibacterial efficacy of cetylpyridinium chloride-containing mouthwashes. *J Clin Dent.* 2011;22(6):183–86.
20. Drake D, Villhauer AL. An in vitro comparative study determining bactericidal activity of stabilized chlorine dioxide and other oral rinses. *J Clin Dent.* 2011;22(1):1–5.
21. Bercy P, Lasserre J. Susceptibility to various oral antiseptics of *Porphyromonas gingivalis* W83 within a biofilm. *Adv Ther.* 2007;24(6):1181–91
22. Hofer D, Meier A, Sener B, Guggenheim B, Attin T, Schmidlin PR. Biofilm reduction and staining potential of a 0.05% chlorhexidine rinse containing essential oils. *Int J Dent Hyg.* 2011;9(1):60–67.
23. Nascimento AP, Tanomaru JM, Matoba-Júnior F, Watanabe E, Tanomaru-Filho M, Ito IY. Maximum inhibitory dilution of mouthwashes containing chlorhexidine and polyhexamethylene biguanide against salivary *Staphylococcus aureus*. *J Applied Oral Sci.* 2008;Sep-Oct 16(5):336–39.
24. Hooper SJ, Lewis MA, Wilson MJ, Williams DW. Antimicrobial activity of Citrox bioflavonoid preparations against oral microorganisms. *Br Dent J.* 2011;210(1):1–5.
25. Rawlinson A, Pollington S, Walsh TF, Lamb DJ, Marlow I, Haywood J, Wright P. Efficacy of two alcohol-free cetylpyridinium

- chloride mouthwashes — a randomized double-blind crossover study. *J Clin Periodontol.* 2008;35(3):230–35.
- 26. Pizzo G, La Cara M, Licata ME, Pizzo I, D'Angelo M. The effects of an essential oil and an amine fluoride/stannous fluoride mouthrinse on supragingival plaque regrowth. *J Periodontol.* 2008;79(7):1177–83.
  - 27. Ennibi O, Lakhdar L, Bouziane A, Bensouda Y, Abouqal R. Chlorhexidine alcohol base mouthrinse versus Chlorhexidine formaldehyde base mouthrinse efficacy on plaque control: Double blind, randomized clinical trials. *Medicina Oral Patología Oral y Cirugía Bucal.* 2013;e135–e9.
  - 28. Garcia V, Rioboo M, Serrano J, O'Connor A, Herrera D, Sanz M. Plaque inhibitory effect of a 0.05% cetyl-pyridinium chloride mouth-rinse in a 4-day non-brushing model. *Int J Dent Hyg.* 2011;9:266–73.
  - 29. Versteeg PA, Rosema NA, Hoenderdos NL, Slot DE, Van der Weijden GA. The plaque inhibitory effect of a CPC mouthrinse in a 3-day plaque accumulation model — a cross-over study. *Int J Dent Hyg.* 2010;8(4):269–75.
  - 30. Marchetti E, Casalena F, Capestro A, Tecco S, Mattei A, Marzo G. Efficacy of two mouthwashes on 3-day supragingival plaque regrowth: a randomized crossover clinical trial. *Int J Dent Hyg.* 2015;1–8.
  - 31. De Siena F, Del Fabbro M, Corbella S, Taschieri S, Weinstein R. Evaluation of chlorhexidine 0.05% with the adjunct of fluoride 0.05% in the inhibition of plaque formation: a double blind, crossover, plaque regrowth study. *Int J Dent Hyg.* 2013;11(3):186–90.
  - 32. Hannig C, Gaeding A, Basche S, Richter G, Helbig R, Hannig M. Effect of conventional mouthrinses on initial bioadhesion to enamel and dentin in situ. *Caries Res.* 2013;47(2):150–61.
  - 33. Malhotra R, Grover V, Kapoor A, Saxena D. Comparison of the effectiveness of a commercially available herbal mouthrinse with chlorhexidine gluconate at the clinical and patient level. *J Indian Soc Periodontol.* 2011;15(4):349–52.
  - 34. Prasad KA, John S, Deepika V, Dwijendra KS, Reddy BR, Chincholi S. Anti-plaque efficacy of herbal and 0.2% Chlorhexidine gluconate mouthwash: a comparative study. *J Int Oral Health.* 2015;7(8):98–102.
  - 35. Singh A, Daing A, Dixit J. The effect of herbal, essential oil and chlorhexidine mouthrinse on de novo plaque formation. *Int J Dent Hyg.* 2013;11(1):48–52.
  - 36. Rahman B, Alkawas S, Al Zubaidi EA, Adel OI, Hawas N. Comparative antiplaque and antigingivitis effectiveness of tea tree oil mouthwash and a cetylpyridinium chloride mouthwash: A randomized controlled crossover study. *Contemp Clin Dent.* 2014;5(4):466–70.
  - 37. He S, Wei Y, Fan X, Hu D, Sreenivasan PK. A clinical study to assess the 12-hour antimicrobial effects of cetylpyridinium chloride mouthwashes on supragingival plaque bacteria. *J Clin Dent.* 2011;22(6):195–99.
  - 38. Amini P, Araujo MWB, Wu M-M, Charles CA, Sharma NC. Comparative antiplaque and antigingivitis efficacy of three antiseptic mouthrinses: a two week randomized clinical trial. *Braz Oral Res.* 2009;23(3):319–25.
  - 39. Charles CA, McGuire JA, Sharma NC, Qaqish J. Comparative efficacy of two daily use mouthrinses: randomized clinical trial using an experimental gingivitis model. *Braz Oral Res.* 2011;25(4):338–44.
  - 40. Charles CA, Amini P, Gallob J, Shang H, McGuire JA, Costa R. Antiplaque and antigingivitis efficacy of an alcohol-free essential-oil containing mouthrinse: A 2-week clinical trial. *Am J Dent.* 2012;25(4):195–8.
  - 41. Parikh-Das AM, Sharma NC, Du Q, Charles CA. Superiority of essential oils versus 0.075% cpc-containing mouthrinse: A two-week randomized clinical trial. *J Clin Dent.* 2013;24(3):94–9.
  - 42. Zanatta FB, Antoniazzi RP, Rosing CK. The effect of 0.12% chlorhexidine gluconate rinsing on previously plaque-free and plaque-covered surfaces: a randomized, controlled clinical trial. *J Periodontol.* 2007;78(11):2127–34.
  - 43. Kumar S, Patel S, Tadakamadla J, Tibdewal H, Duraiswamy P, Kulkarni S. Effectiveness of a mouthrinse containing active ingredients in addition to chlorhexidine and triclosan compared with chlorhexidine and triclosan rinses on plaque, gingivitis, supragingival calculus and extrinsic staining. *Int J Dent Hyg.* 2013;11(1):35–40.
  - 44. Charles CA, Cortelli JR, Aquino D, Revankar R, Wu MM. Gingival health benefits of essential oil, 0.075% cetylpyridinium chloride and control mouthrinses: A 4-week randomized clinical study. *Am J Dent.* 2015;28(4):197–202.
  - 45. Elias-Boneta AR, Toro MJ, Noboa J, Romeu FL, Mateo LR, Ahmed R, et al. Efficacy of CPC and essential oils mouthwashes compared to a negative control mouthwash in controlling established dental plaque and gingivitis: A 6-week, randomized clinical trial. *Am J Dent.* 2015;28(Spec No A):21A–6A.
  - 46. Hernandez-Cott PL, Elias Boneta A, Stewart B, DeVizio W, Proskin HM. Clinical investigation of the efficacy of a commercial mouthrinse containing 0.05% cetylpyridinium chloride in reducing dental plaque. *J Clin Dent.* 2009;20(2):39–44.
  - 47. Lotufo R, Calil CM, Feng HS, Sekiguchi RT, Stewart B, DeVizio W, Proskin HM. Clinical investigation of the efficacy of a commercial mouthrinse containing 0.05% cetylpyridinium chloride in preventing dental plaque. *J Clin Dent.* 2009;20(2):50–54.
  - 48. Silva MF, dos Santos NB, Stewart B, DeVizio W, Proskin HM. A clinical investigation of the efficacy of a commercial mouthrinse containing 0.05% cetylpyridinium chloride to control established dental plaque and gingivitis. *J Clin Dent.* 2009;20(2):55–61.
  - 49. Todkar R, Sheikh S, Byakod G, Muglikar S. Efficacy of chlorhexidine mouthrinses with and without alcohol – a clinical study. *Oral Health Prev Dent.* 2012;10(3):291–96.
  - 50. Charles CA, McGuire JA, Qaqish J, Amini P. Increasing antiplaque/antigingivitis efficacy of an essential oil mouthrinse over time: an in vivo study. *Gen Dent.* 2013;61(1):23–28.
  - 51. Cortelli SC, Cortelli JR, Holzhausen M, Franco GC, Rebelo RZ, Sonagere AS, Queiroz CS, Costa FO. Essential oils in one-stage full-mouth disinfection: double-blind, randomized clinical trial of long-term clinical, microbial and salivary effects. *J*

- Clin Periodontol.* 2009;36(4):333–42.
52. Cortelli SC, Cortelli JR, Shang H, Costa R, Charles CA. Gingival health benefits of essential-oil and cetylpyridinium chloride mouthrinses: a 6-month randomized clinical study. *Am J Dent.* 2014;27(3):119–27.
  53. Cortelli SC, Cortelli JR, Shang H, McGuire JA, Charles CA. Long- term management of plaque and gingivitis using an alcohol-free essential oil containing mouthrinse: a 6-month randomized clinical trial. *Am J Dent.* 2013;26(3):149–55.
  54. Cortelli SC, Cortelli JR, Wu MM, Simmons K, Charles CA. Comparative antiplaque and antigingivitis efficacy of a multipurpose essential oil-containing mouthrinse and a cetylpyridinium chloride-containing mouthrinse: A 6-month randomized clinical trial. *Quintessence Int.* 2012;43(7):e82–e95.
  55. Sharma NC, Araujo MWB, Wu M-M, Qaqish J, Charles CH. Superiority of an essential oil mouthrinse when compared with a 0.05% cetylpyridinium chloride containing mouthrinse: a six-month study. *Int Dent J.* 2010;60(3):175–80.
  56. Ayad F, Prado R, Mateo LR, Stewart B, Szewczyk G, Arvanitidou E, Panagakos FS. A comparative investigation to evaluate the clinical efficacy of an alcohol-free CPC-containing mouthwash as compared to a control mouthwash in controlling dental plaque and gingivitis: a six-month clinical study on adults in San Jose, Costa Rica. *J Clin Dent.* 2011;22(6):204–12.
  57. Costa X, Laguna E, Herrera D, Serrano J, Alonso B, Sanz M. Efficacy of a new mouth rinse formulation based on 0.07% cetylpyridinium chloride in the control of plaque and gingivitis: a 6-month randomized clinical trial. *J Clin Periodontol.* 2013;40(11):1007–15.
  58. Albert-Kiszely A, Pjetursson BE, Salvi GE, Witt J, Hamilton A, Persson GR, Lang NP. Comparison of the effects of cetylpyridinium chloride with an essential oil mouth rinse on dental plaque and gingivitis — a six-month randomized controlled clinical trial. *J Clin Periodontol.* 2007;34(8):658–67.
  59. Gunsolley JC. Uncontrolled randomized clinical trial demonstrates similar long-term (6 months) antigingivitis and antiplaque efficacy for 2 mouth rinses: One that uses cetylpyridinium chloride (CPC) as an active agent and the other that uses essential oils (EO) as an active agent. *J Evid Based Dent Pract.* 2008;8(2):85–86.
  60. Walker E, Nowacki AS. Understanding equivalence and noninferiority testing. *J Gen Intern Med.* 2011;26(2):192–96.
  61. Chen Y, Wong RW, McGrath C, Hagg U, Seneviratne CJ. Natural compounds containing mouthrinses in the management of dental plaque and gingivitis: a systematic review. *Clin Oral Investig.* 2014;18(1):1–16.
  62. Drugs and Health Products. Health Canada's Clinical Trials Database [website]. Canada: Health Canada; 2016 [updated 2016-06-07]. Available from: <http://www.hc-sc.gc.ca/dhp-mps/prodpharma/databasdonclin/index-eng.php>.
  63. BioMed Central. ISRCTN registry [website]. 2016. Available from:<http://www.isrctn.com/>.
  64. National Institutes of Health. ClinicalTrials.gov [website]. Available from: <https://clinicaltrials.gov/>.
  65. Consumer Health Products Canada [website]. Ottawa: Consumer Health Products Canada; 2012. Available from: <http://www.chpcanada.ca/en/consumer-health-products-you/consumer-health-products>.
  66. The Canadian Dental Association [website]. Available from:<https://www.cda-adc.ca/en/index.asp>.
  67. American Dental Association. Science and research [website]. 2016. Available from: [www.ada.org/science-research](http://www.ada.org/science-research).
  68. American Dental Association. ADA seal of acceptance [website]. 2016. Available from: <http://www.ada.org/en/science-research/ada-seal-of-acceptance/how-to-earn-the-ada-seal/guidelines-for-product-acceptance>.
  69. Afennich FS, Slot DE, Hossainian N, Van der Weijden GA. The effect of hexetidine mouthwash on the prevention of plaque and gingival inflammation: a systematic review. *Int J Dent Hyg.* 2011;9(3):182–90.
  70. Loe H. Oral hygiene in the prevention of caries and periodontal disease. *Int Dent J.* 2000;50(3):129–39.
  71. Sharma N, Charles CH, Lynch MC, Qaqish J, McGuire JA, Galustians JG, Kumar LD. Adjunctive benefit of an essential oil-containing mouthrinse in reducing plaque and gingivitis in patients who brush and floss regularly. *JADA.* 2004;135(4):496–504.
  72. Sharma S, Saimbi CS, Koirala B, Shukla R. Effect of various mouthwashes on the levels of interleukin-2 and interferon-gamma in chronic gingivitis. *J Clin Pediatr Dent.* 2008;32(2):111–14.
  73. Haas AN, Reis A, Lemos CA, Pannuti CM, Escobar E, Almeida ER, et al. Daily biofilm control and oral hygiene: An epidemiological challenge consensus. *Braz J Periodontol.* 2012;22(3):7–13.
  74. LISTERINE® Tips and Practices [website]. Johnson & Johnson Inc.; 2014 [updated May 2016]. Available from: <http://www.listerine.ca/tips-and-practices>.
  75. Lisante TA, McGuire JA, Williams KP. The staining potential of various currently marketed mouthrinses. *J Clin Dent.* 2013;24(1):5–11.
  76. Kerr AR, Corby PM, Kallontzi K, McGuire JA, Charles CA. Comparison of two mouthrinses in relation to salivary flow and perceived dryness. *Oral Surg Oral Med Oral Pathol Oral Radiol.* 2015;119(1):59–64.
  77. Gandini S, Negri E, Boffett P, La Vecchia C, Boyle P. Mouthwash and oral cancer risk – Quantitative meta-analysis of epidemiologic studies. *Ann Agric Environ Med.* 2012;19(2):173–80.
  78. Ahrens W, Pohlabeln H, Foraita R, Nelis M, Lagiou P, Lagiou A, et al. Oral health, dental care and mouthwash associated with upper aerodigestive tract cancer risk in Europe: The ARCAGE study. *Oral Oncology.* 2014;50:616–25.
  79. Stoeken JE, Paraskevas S, van der Weijden GA. The long-term effect of a mouthrinse containing essential oils on dental plaque and gingivitis: a systematic review. *J Periodontol.* 2007;78(7):1218–28.