

*L'Explorateur*, volume 26, numéro 1, avril 2016

Voici les références complètes de l'article intitulé : Diabète et maladies du cœur. Le vin rouge, c'est bon pour le cœur par *Extenso*, Le Centre de référence en nutrition du Département de nutrition de l'Université de Montréal.

(<http://www.extenso.org/article/le-vin-rouge-c-est-bon-pour-le-coeur/>)

- Belleville J. The French paradox: possible involvement of ethanol in the protective effect against cardiovascular diseases. *Nutrition* 2002; 18(2): 173-7.
- Camargo CA Jr, Stampfer MJ, Glynn RJ, Gaziano JM, Manson JE, Goldhaber SZ et al. Prospective study of moderate alcohol consumption and risk of peripheral arterial disease in US male physicians. *Circulation* 1997; 95(3): 577-80.
- Corrao G, Rubbiati L, Bagnardi V, Zambon A, Poikolainen K. Alcohol and coronary heart disease: a meta-analysis. *Addiction* 2000; 95(10): 1505-23.
- De Lorimier AA. Alcohol, wine, and health. *Am J Surg* 2000; 180(5): 357-61.
- Doll R, Peto R, Hall E, Wheatley K, Gray R. Mortality in relation to consumption of alcohol: 13 years' observations on male British doctors. *BMJ* 1994; 309(6959): 911-8.
- Dudley JJ, Lekli I, Murkherjee S, Das M, Bertelli AA, Das DK. Does white wine qualify for French paradox? Comparison of the cardioprotective effects of red and white wines and their constituents : resveratol, tyrosol, and hydroxytyrosol. *J Agric Food Chem*. 2008 Oct 22; 56 (20) : 9362-73.
- Gartside PS, Wang P, Glueck CJ. Prospective assessment of coronary heart disease risk factors: the NHANES I epidemiologic follow-up study (NHEFS) 16-year follow-up. *J Am Coll Nutr* 1998; 17(3): 263-9.
- Goldberg IJ, Mosca L, Piano MR, Fisher EA. AHA Science Advisory. Wine and your heart: A science advisory for healthcare professionals from the Nutrition Committee, Council on Epidemiology and Prevention, and Council on Cardiovascular Nursing of the American Heart Association. *Stroke* 2001; 32(2): 591-4.

- Goldberg RJ, Burchfiel CM, Reed DM, Wergowske G, Chiu D. A prospective study of the health effects of alcohol consumption in middle-aged and elderly men. The Honolulu Heart Program. *Circulation* 1994; 89(2): 651-9.
- Gronbaek M, Deis A, Sorensen TI, Becker U, Borch-Johnsen K, Muller C et al. Influence of sex, age, body mass index, and smoking on alcohol intake and mortality. *BMJ* 1994; 308(6924): 302-6.
- Hammar N, Romelsjo A, Alfredsson L. Alcohol consumption, drinking pattern and acute myocardial infarction. A case referent study based on the Swedish Twin Register. *J Intern Med* 1997; 241(2): 125-31.
- Imhof A, Blagieva R, Marx N, Koenig W. Drinking modulates monocyte migration in healthy subjects : a randomised intervention study of water, ethanol, red wine and beer with or without alcohol. *Diab Vasc Dis Res.* 2008 Mar; 5 (1) : 48-53.
- Iso H, Kitamura A, Shimamoto T, Sankai T, Naito Y, Sato S et al. Alcohol intake and the risk of cardiovascular disease in middle-aged Japanese men. *Stroke* 1995; 26(5): 767-73.
- Jackson R, Scragg R, Beaglehole R. Alcohol consumption and risk of coronary heart disease. *BMJ* 1991; 303(6796): 211-6.
- Kitamura A, Iso H, Sankai T, Naito Y, Sato S, Kiyama M et al. Alcohol intake and premature coronary heart disease in urban Japanese men. *Am J Epidemiol* 1998; 147(1): 59-65.
- Kiviniemi TO, Saraste A, Toikka JO, Saraste M, Raitakari OT, Parkka JP, Lehtimaki T, Hartiala JJ, Viikari J, Koskenvuo JW. A moderate dose of red wine, but not de-alcoholized red wine increases coronary flow reserve. *Atherosclerosis.* 2007 Dec; 195 (2) : e176-81
- Klatsky AL. Moderate drinking and reduced risk of heart disease. *Alcohol Res Health* 1999; 23(1): 15-23.
- Klatsky AL, Armstrong MA, Friedman GD. Alcohol and mortality. *Ann Intern Med* 1992; 117(8): 646-54.
- Krenz M, Korthuis R.J. Moderate ethanol ingestion and cardiovascular protection: From epidemiologic associations to cellular mechanisms. *Journal of Molecular and Cellular Cardiology* 2012. 52:93–104
- Lagrue-Lak-Hal AH, Andriantsitohaina R. Red wine and cardiovascular risks. *Arch Mal Cœur Vaiss.* 2006 Dec; 99 (12) :1230-5.
- Leifert WR, Abeywardena MY. Cardioprotective actions of grape polyphenols. *Nutr Res.* 2008 Nov; 28 (11) : 729-37.

- Liu L, Wang Y, Lam KS, Xu A. Moderate wine consumption in the prevention of metabolic syndrome and its related medical complications. *Endocr Metab Immune Disord Drug Targets*. 2008 Jun; 8 (2) :89-98.
- Marques-Vidal P, Cambou JP, Nicaud V, Luc G, Evans A, Arveiler D et al. Cardiovascular risk factors and alcohol consumption in France and Northern Ireland. *Atherosclerosis* 1995; 115(2): 225-32.
- Martin S, Diebolt M, Andriantsitohaina R. Consommation modérée d'alcool et maladies cardiovasculaires. *Pathol Biol* 2001; 49: 769-74.
- McConnell MV, Vavouranakis I, Wu LL, Vaughan DE, Ridker PM. Effects of a single, daily alcoholic beverage on lipid and hemostatic markers of cardiovascular risk. *Am J Cardiol* 1997; 80(9): 1226-8.
- Mukamal KJ, Chiuve SE, Rimm EB. Alcohol consumption and risk for coronary heart disease in men with healthy lifestyles. *Arch Intern Med*. 2006 Oct 23; 166 (19) : 2145-50.
- Providência R. Cardiovascular protection from alcoholic drinks : scientific basis of the French Paradox. *Rev Port Cardiol*. 2006 Nov; 25 (11) : 1043-58.
- Puddey IB, Rakic V, Dimmitt SB, Beilin LJ. Influence of pattern of drinking on cardiovascular disease and cardiovascular risk factors--a review. *Addiction* 1999; 94(5): 649-63.
- Rehm JT, Bondy SJ, Sempos CT, Vuong CV. Alcohol consumption and coronary heart disease morbidity and mortality. *Am J Epidemiol* 1997; 146(6): 495-501.
- Reynolds K, Lewis B, Nolen JD, Kinney GL, Sathya B, He J. Alcohol consumption and risk of stroke: a meta-analysis. *JAMA* 2003; 289(5): 579-88.
- Rimm EB, Giovannucci EL, Willett WC, Colditz GA, Ascherio A, Rosner B et al. Prospective study of alcohol consumption and risk of coronary disease in men. *Lancet* 1991; 338(8765): 464-8.
- Rimm EB, Williams P, Fosher K, Criqui M, Stampfer MJ. Moderate alcohol intake and lower risk of coronary heart disease: meta- analysis of effects on lipids and haemostatic factors. *BMJ* 1999; 319(7224): 1523-8.
- Saremi A, Arora R. The cardiovascular implications of alcohol and red wine. *Am J Ther*. 2008 May-Jun; 15 (3) :265-77.
- Sesso HD, Cook NR, Buring JE, Manson JE, Gaziano JM. Alcohol consumption and the risk of hypertension in woman and men. *Hypertension*. 2008 Apr; 51 (4) : 1080-7.
- Sesso HD, Gaziano JM. Alcohol intake and cardiovascular morbidity and mortality. *Curr Opin Nephrol Hypertens* 1999; 8(3): 353-7.

- Sesso HD, Stampfer MJ, Rosner B, Hennekens CH, Manson JE, Gaziano JM. Seven-year changes in alcohol consumption and subsequent risk of cardiovascular disease in men. *Arch Intern Med* 2000; 160(17): 2605-12.
- Tousoulis D, Ntarladimas I, Antoniadis C, Vasiliadou C, Tentolouris C, Papageorgiou N, Latsios G, Stefanadis C. Acute effects of different alcoholic beverages on vascular endothelium, inflammatory markers and thrombosis fibrinolysis system. *Clin Nutr.* 2008 Aug; 27 ( 4) : 594-600.
- Van Tol A, Hendriks HF. Moderate alcohol consumption: effects on lipids and cardiovascular disease risk. *Curr Opin Lipidol* 2001; 12(1): 19-23.
- Vazquez-Agell M, Sacanella E, Tobias E, Monagas M, Antunez E, Zamora-Ros R, Andrés-Lacueva C, Lamuela-Raventos RM, Fernandez-Sola J, Nicolas JM, Estruch R. Inflammatory markers of atherosclerosis are decreased after moderate consumption of cava (sparkling wine) in men with low cardiovascular risk. *J Nutr.* 2007 Oct; 137 (10) : 2279-84.
- Vidavalur R, Otani H, Singal PK, Maulik N. Significance of wine and resveratrol in cardiovascular disease : French paradox revisited. *Exp Clin Cardiol.* 2006 Fall; 11 (3) : 217-25.
- Wollin SD, Jones PJ. Alcohol, red wine and cardiovascular disease. *J Nutr* 2001; 131(5): 1401-4.